


# Minerva: User-Centered Science Operations Software Capability for Future Human Exploration

Matthew Deans, Jessica J. Marquez, Tamar Cohen, Matthew J. Miller, Ivonne Deliz, Steven Hillenius, Jeffrey Hoffman, Yeon Jin Lee, David Lees, Johannes Norheim, Darlene S. S. Lim

NASA Ames, CMU, SGT Inc., Georgia Tech, MIT, and BAERI

# 1. INTRODUCTION

- Science & exploration with humans & robots is part of Mission concepts for cis-lunar, Near Earth Asteroid, Phobos & Deimos, and Mars.
- The **BASALT** Project studies lava flows in Hawaii and Idaho as analogs to early and late Mars, operating under mission-like constraints.
- *Minerva* is our **Ops and Science Ops** software
- Testing in analog missions helps us research and develop better tools for future missions by testing them under realistic conditions like **comm latency** (5 to 15 minutes) and **bandwidth restrictions** (low bandwidth).



## 2. APPROACH

- Design Minerva
  - Use past field work and BASALT science program to elicit requirements and flesh-out designs
- Build Minerva
  - Bring together existing pieces, tailor or modify where we can
    - Playbook
    - Exploration Ground Data System (xGDS)
    - SEXTANT
  - Provide interfaces between tools where appropriate
  - Integrate workflows where integrating software is low priority or high effort
- Test Minerva
  - Use Minerva to plan, execute, and document BASALT field work
  - Capture utility and usability metrics, and user feedback during tests
  - Iterate over project cycle

## 2. APPROACH: Playbook



Playbook is a mobile, easy-to-use timeline software used in various analogs.

Integrated execution tool with multiple views for:

- Mission and Extravehicular Activities (EVA) timeline
- Mission Log, multimedia communication
- Centralized Procedure repository

Unique aids to support execution under time-delay:

- Timers/counters, multiple off-set Marcus Bains lines







## 2. APPROACH: xGDS

- Supports all phases of a science deployment (planning, execution, data collection & analysis).
- Provides tools and interfaces for **rapid science decision making** during and after operations.

The screenshot displays the xGDS web interface. On the left, a table lists deployment logs with columns for Time, TZ, Author, Role, Location, Content, Tags, and Link. The table shows three entries from 11/15/16. The middle section features a video feed labeled 'EV2' showing a scientist in a field. Below the video, a map shows the 'Region: Hawaii Lava Flows' with a scale bar of 20 m. On the right, a 'Refresh' button and a 'Transparency' panel are visible.

Time	TZ	Author	Role	Location	Content	Tags	Link
11/15/16 13:43:41	HST	Sarah Benner	Steno	Field	1 m away 35.7 C north	presampling survey CE	
11/15/16 13:33:12	HST	Brent Garry	Science Backroom Team	MCC	3. Locate best intermediate alteration zone for potential sampling, defined by temperatures of 40-50deg C. Record FLIR temp and take 1 still image of FLIR screen.	exploration presampling survey	
11/15/16 13:32:42	HST	Brent Garry	Science Backroom Team	MCC	2. Describe "fall off" (away from vent) of alteration. Report FLIR temp 1m away from most active center in the N, E, S, and W directions. Take still image of FLIR	exploration presampling survey	



Name: MD Dry2\_0005  
 Minerals: Hematite\*\*\*, Clinoptilolite\*\*\*,  
 Acquisition time: 11/06/16 15:08:00 HST

MD9 CD Close-Up - Outside of stations hunting for active fumaroles



## 2. APPROACH: SEXTANT

Optimizes human traverses through several science stations.

### Key advantages:

- Automated planning, no manual resources invested
- Speed of planning allows for life-replanning due to change in plans during operation

### SEXTANT includes three key parts:


- Data elevation model(DEM) of the environment
- A cost function selected by the user:
  - Metabolic energy consumption, based on empirical data, distance, and time
- An optimizer/search function



## 2. APPROACH: Integration and Workflow




### Example: EVA Plans

- Scientists **edit** and review plans in xGDS
- xGDS invokes SEXTANT to **optimize** routes
- Planned Traverses are exported from xGDS into Playbook as a **timeline**





# 3. BASALT-1 CoTM Field Testing





## 4. RESULTS

- Playbook preliminary evaluation
- xGDS preliminary evaluation
- SEXTANT preliminary evaluation
- Lessons learned


## 4. RESULTS: Playbook Evaluation

- When Science Team gets busy, they need a **quick way of catching up**.
  - Positive integration with Science Team to use Playbook for tracking EVA activity progress.
- Science Team and IVs **chat a lot**. Playbook's Mission Log essential for text and image communication.
  - More aids are still warranted to improve communications.
- Integrated EVA timeline tracking between IVs and Science Team should **minimize miscommunications**.



Emergent use case: show image from Science Team to EVs through Playbook's Mission Log.

## 4. RESULTS: xGDS Evaluation




- Putting EVA data and tracks in context helps understanding
- Traverse planning and data sharing

Need to improve:

- Tailor UI by user's role
- Deliver real-time updates
- Search and tagging
- Timeline Integration

## 4. RESULTS: SEXTANT Evaluation



Poor plan(manual) forced the EV crew to spend a lot of time finding their way



Good plan(manual) allowed the crew to spend more time doing science and exploration

Manual plans have the risk of failing, SEXTANT ensures an optimal route clear of obstacles



## 4. RESULTS: Lessons Learned

1. We should improve the integration of timeline monitoring and tracking between IVs and Science Team, and between Minerva tools.
2. We should continue providing aids that will enhance high rate text communication exchanges over time-delay.
3. We should provide better methods to help scientists create traverse path routes.

Hawai'i 2016 deployment successfully tested some of these improvements.

## 5. FUTURE WORK

- Increased SEXTANT + xGDS integration
  - More feedback, faster performance, dynamic displays
  - Improve support for mixed-initiative planning by human and path planning algorithm
- Increased Playbook + xGDS integration
  - Better coupling between timelines and plans
  - Pre-mission and during mission
  - Tracking activity status and capturing statistics on planned vs. actual execution
- Improve situation awareness through “push” updates to IV & Science displays and notifications.
- Improve semantic tagging and search for post-mission data analysis.
- Additional field testing
  - BASALT field deployment in Hawai'i in November 2016 & 2017

# Acknowledgements

BASALT is funded by the NASA PSTAR Program.

Coauthor M. Miller is supported by a NASA NSTRF Fellowship.

Additional support through collaboration with the FINESSE project.

Thanks to Craters of the Moon National Monument & Preserve, Hawai'i Volcanoes National Park, The community of Arco, Idaho and the staff at COTM, and the Kilauea Military Camp (KMC).

Thanks to our large BASALT team from across the USA, Canada, and England.